

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L29   | 2    | "20020055978"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:44 |
| L28   | 4    | L27 and backup near4 master   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:44 |
| L27   | 188  | L26 and (@AD < "20000725" or @PRAD < "20000725")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:42 |
| L26   | 355  | master near3 assign\$3 near6 (priority or rank\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:39 |
| L25   | 5    | L24 and (@AD < "20000725" or @PRAD < "20000725")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:39 |
| L24   | 17   | (reconfigur\$5 or configur\$5 or determin\$3 or set\$3 or assign\$3) near8 ((backup near3 master)) near6 (priority or rank\$3)          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:38 |
| L22   | 174  | L21 and (@AD < "20000725" or @PRAD < "20000725")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:38 |
| L19   | 357  | (reconfigur\$5 or configur\$5 or determin\$3 or set\$3 or assign\$3) near8 (slave or (backup near3 master)) near6 (priority or rank\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/09/12 15:37 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L23 | 7    | L20 and backup near6 master   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 15:31 |
| L21 | 285  | L19 same master   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 15:30 |
| L20 | 225  | L19 and (@AD < "20000725" or<br>@PRAD < "20000725")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 15:30 |
| L17 | 27   | master near4 (router or node or<br>device) near7 (reconfigur\$5 or<br>configur\$5 or determin\$3 or set\$3<br>or assign\$3) with slave near6<br>(priority or rank\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 15:29 |
| L18 | 9    | L17 and (@AD < "20000725" or<br>@PRAD < "20000725")   | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 15:23 |
| L16 | 2465 | master near4 (router or node or<br>device) near7 (reconfigur\$5 or<br>configur\$5 or determin\$3 or set\$3<br>or assign\$3) with slave                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 15:23 |
| L10 | 18   | L9 and (@AD < "20000725" or<br>@PRAD < "20000725")  | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 15:23 |
| L15 | 9    | L14 and (set\$3 or configur\$3 or<br>assign\$3) near6 priority  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 14:49 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| L14 | 32  | (US-5907486-\$ or US-6729929-\$ or US-5751220-\$ or US-6975613-\$ or US-6493716-\$ or US-6128489-\$ or US-6266339-\$ or US-6092214-\$ or US-6185623-\$ or US-6701448-\$ or US-6201995-\$ or US-6061600-\$ or US-6519460-\$ or US-5295137-\$ or US-5586338-\$ or US-5451839-\$ or US-6901275-\$ or US-4432054-\$ or US-5539746-\$ or US-6683886-\$ or US-6397260-\$ or US-5408464-\$ or US-5835481-\$ or US-5682379-\$ or US-6836862-\$ or US-4843633-\$).<br>did. or (US-6415323-\$ or US-6732144-\$ or US-6111889-\$).<br>did. or (EP-505072-\$ or WO-9105415-\$ or WO-103379-\$).<br>did. | USPAT;<br>EPO   | OR | ON | 2006/09/12 14:48 |
| L13 | 5   | ("4579407"   "5003579"   "5583754"   "5751220"   "Re31852").PN.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON | 2006/09/12 14:10 |
| L12 | 18  | L11 and slave near6 priority  | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 14:07 |
| L11 | 391 | master same slave and backup near4 master   | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 14:07 |
| L9  | 43  | assign\$3 near6 priority near4 slave with master  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 13:33 |
| L5  | 13  | L4 and (@AD < "20000725" or @PRAD < "20000725")   | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 13:33 |
| L4  | 34  | master near6 assign\$3 near6 priority near4 slave   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 13:32 |
| L8  | 23  | L7 and (@AD < "20000725" or @PRAD < "20000725")   | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 13:30 |
| L7  | 36  | master near6 set\$3 near6 priority near4 slave  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 13:19 |

## EAST Search History

|          |   |   |   |    |    |                  |
|----------|---|---|---|----|----|------------------|
| L6       | 6 | master near6 configur\$3 near6<br>priority near4 slave                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/12 13:19 |
| S10<br>4 | 3 | S100 and (@AD < "20000725" or<br>@PRAD < "20000725" or @RLAD <<br>"20000725") | US-PGPUB;<br>USPAT;<br>EPO; JPO                                   | OR | ON | 2006/09/12 13:12 |